



United States  
Department of  
Agriculture

National  
Agricultural  
Statistics  
Service



Ct Gn 1 (02)

# Cotton Ginnings 2001 Summary

## May 2002

# USDA





Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
State, and United States, Crop Years 1998-2001

Type and State	1998	1999	2000	2001
All Cotton				
AL	538,500	620,650	532,950	907,300
AZ	600,750	695,900	753,400	656,850
AR	1,172,600	1,390,300	1,406,300	1,788,400
CA	1,466,400	2,127,350	2,492,250	2,358,250
FL 1/				
GA	1,516,450	1,524,050	1,621,700	2,159,050
KS 1/				
LA	652,750	918,950	923,250	1,044,600
MS	1,400,900	1,680,400	1,676,600	2,339,250
MO	337,750	450,150	502,600	673,800
NM	69,600	59,250	64,150	70,800
NC	1,006,700	802,550	1,407,550	1,640,550
OK	138,450	139,500	146,050	194,850
SC	334,200	265,000	357,900	404,200
TN	530,600	574,300	691,350	950,150
TX	3,558,550	5,020,450	3,900,850	4,232,800
VA	133,850	133,950	146,800	177,900
US	13,533,950	16,528,050	16,741,850	19,771,200
Amer-Pima				
AZ	25,400	16,000	7,300	14,100
CA	340,550	580,100	332,950	617,900
NM	6,750	6,500	4,450	12,900
TX	54,050	47,550	30,200	32,800
US	426,750	650,150	374,900	677,700

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound  
Bales Ginned, by Type, State, and United States, Crop Years 2000-01

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	2000	2001	2000	2001
All Cotton				
AL	524,000	883,000	551,700	941,500
AZ	782,450	685,950	768,500	674,500
AR	1,404,250	1,803,400	1,426,500	1,818,200
CA	2,463,150	2,328,350	2,585,800	2,439,300
FL 1/	103,250	151,650		
GA	1,615,250	2,163,550	1,669,000	2,220,650
KS 1/	22,000	29,150		
LA	897,900	1,014,450	936,150	1,064,200
MS	1,680,500	2,356,000	1,706,800	2,378,700
MO	526,950	681,750	514,650	686,450
NM	103,250	132,600	65,300	71,700
NC	1,384,800	1,617,200	1,452,400	1,696,950
OK	149,700	192,800	147,750	199,000
SC	369,350	410,700	366,700	415,650
TN	691,400	953,400	708,500	973,100
TX	3,861,550	4,170,150	4,009,450	4,358,000
VA	162,100	196,950	149,850	181,850
US	16,741,850	19,771,200	17,179,500	20,298,600
Amer-Pima				
AZ	7,000	14,000	7,500	14,600
CA	333,250	618,000	346,000	638,750
NM	4,450	10,350	4,550	13,050
TX	30,200	35,350	30,950	33,750
US	374,900	677,700	389,000	700,150

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2001

Type and State	Oct 1	Oct 15	Nov 1
All Cotton			
AL	19,250	120,450	287,400
AZ	46,850	111,550	216,400
AR	250,900	638,700	1,089,000
CA	16,250	190,450	667,700
FL 1/		16,500	45,950
GA	44,300	256,150	666,700
LA	150,800	415,650	706,600
MS	306,600	764,750	1,345,400
MO	93,400	225,750	407,300
NM	1,100	9,000	23,400
NC	3,350	124,250	444,900
OK 1/		12,850	56,500
SC	7,800	60,550	166,600
TN	135,050	319,450	566,300
TX	993,700	1,342,100	2,069,900
VA 1/		8,150	46,300
US	2,071,700	4,616,300	8,806,350
Amer-Pima			
AZ 1/	1,350		
CA 1/		11,650	85,950
NM 1/	0		
TX 1/			
US	2,050	16,200	99,900

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2001 (continued)

Type and State	Nov 15	Dec 1	Dec 15
All Cotton			
AL	464,700	641,950	776,550
AZ	321,200	431,250	515,000
AR	1,485,600	1,715,000	1,775,000
CA	1,099,500	1,521,450	1,836,650
FL	73,850	105,600	131,950
GA	1,070,150	1,518,150	1,865,200
LA	926,400	1,019,550	1,042,900
MS	1,828,550	2,127,550	2,249,650
MO	551,350	635,050	664,750
NM	39,350	53,500	61,350
NC	749,550	1,080,250	1,355,650
OK	92,300	130,100	154,100
SC	259,400	344,950	392,150
TN	771,350	903,400	936,200
TX	2,742,400	3,207,900	3,682,800
VA	82,300	128,500	166,500
US	12,557,950	15,564,150	17,606,400
Amer-Pima			
AZ	5,850	8,900	10,300
CA	163,900	240,050	315,000
NM	4,800	8,850	9,750
TX	17,150	22,850	32,400
US	191,700	280,650	367,450

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2001 (continued)

Type and State	Jan 1	Jan 15	Feb 1
All Cotton			
AL	849,700	890,150	901,450
AZ	585,650	624,300	650,600
AR	1,785,900	1,787,150	1,788,400
CA	2,025,000	2,143,100	2,238,750
FL 1/			
GA	2,060,000	2,133,800	2,152,850
KS 1/			
LA	1,044,300	1,044,450	1,044,600
MS	2,292,650	2,323,400	2,338,150
MO	670,000	673,700	673,800
NM	68,800	70,800	70,800
NC	1,526,550	1,588,600	1,617,800
OK	173,750	185,800	192,850
SC	401,700	402,950	403,550
TN	944,050	949,000	949,950
TX	3,987,400	4,093,450	4,158,600
VA	177,500	177,900	177,900
US	18,759,400	19,259,950	19,532,500
Amer-Pima			
AZ	11,600	13,700	14,050
CA	390,450	452,900	522,400
NM	12,300	12,900	12,900
TX	32,700	32,800	32,800
US	447,050	512,300	582,150

1/ Not published to avoid disclosing individual gins, but included in U.S. totals.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
All Cotton	:		:		:	
Autauga	1/:		:		:	12,900
Baldwin	1/:		:		:	28,300
Barbour	:	0	:	0	:	8,300
Bibb	:	0	:	0	:	500
Blount	1/:		:		:	4,600
Bullock	:	0	:	0	:	1,350
Butler	:	0	:	0	:	1,950
Calhoun	:	0	:	0	:	6,800
Chambers	:	0	:	0	:	1,050
Cherokee	1/:		:		:	38,150
Chilton	1/:		:		:	450
Choctaw	:	0	:	0	:	800
Clarke	:	0	:	0	:	1,100
Coffee	1/:		:		:	15,700
Colbert	1/:		:		:	43,750
Conecuh	:	0	:	0	:	7,500
Covington	1/:		:		:	25,150
Crenshaw	1/:		:		:	2,600
Cullman	:	0	:	0	:	4,400
Dale	:	0	:	0	:	13,550
Dallas	1/:		:		:	19,800
Dekalb	:	0	:	0	:	350
Elmore	1/:		:		:	22,550
Escambia	1/:		:		:	44,300
Etowah	:	0	:	0	:	6,700
Fayette	1/:		:		:	3,350
Franklin	:	0	:	0	:	2,800
Geneva	1/:		:		:	16,950
Greene	1/:		:		:	1,000
Hale	:	0	:	0	:	1,550
Henry	1/:		:		:	26,200
Houston	1/:		:		:	30,350
Jackson	:	0	:	0	:	7,800
Lauderdale	1/:		:		:	35,700
Lawrence	1/:		:		:	56,600
Lee	:	0	:	0	:	3,800

See footnotes at end of table.

-- continued



Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Limestone	:	126,950	:	135,300	:	113,700
Lowndes	1/:		:		:	6,250
Macon	1/:		:		:	7,650
Madison	:	64,800	:	66,650	:	96,700
Marengo	1/:		:		:	6,650
Marion	1/:	0	:	0	:	
Marshall	:	0	:	0	:	1,100
Mobile	1/:		:		:	15,850
Monroe	1/:		:		:	45,150
Montgomery	:	0	:	0	:	4,200
Morgan	:	0	:	0	:	3,550
Perry	:	0	:	0	:	3,350
Pike	:	0	:	0	:	7,800
Russell	1/:		:		:	7,800
Shelby	:	0	:	0	:	11,400
Sumter	1/:	0	:	0	:	
Talladega	:	0	:	0	:	5,700
Tallapoosa	1/:		:		:	2,800
Tuscaloosa	1/:		:		:	7,000
Washington	:	0	:	0	:	2,200
Wilcox	:	0	:	0	:	3,150
Other	2/:		:		:	32,000
Alabama	:	907,300	:	941,500	:	883,000
	:		:		:	
Cochise	1/:		:		:	3,600
Graham	1/:		:		:	48,700
Greenlee	1/:		:		:	1,100
La Paz	1/:		:		:	44,250
Maricopa	:	212,950	:	218,650	:	181,500
Mohave	1/:		:		:	10,100
Pima	1/:		:		:	27,600
Pinal	:	262,700	:	268,700	:	304,600
Yuma	:	68,600	:	70,900	:	64,500
Arizona	:	656,850	:	674,500	:	685,950

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Arkansas	0	0	1,000
Ashley	89,300	89,800	87,500
Chicot 1/:			61,100
Clay 1/:			63,150
Craighead	194,400	191,100	199,300
Crittenden	97,050	98,000	79,200
Cross 1/:			1,800
Desha	189,900	192,600	154,000
Drew 1/:			39,250
Greene 1/:			29,200
Jefferson	91,700	93,800	78,900
Lafayette 1/:			5,900
Lee 1/:			106,100
Lincoln 1/:			73,750
Lonoke	56,250	57,600	48,900
Miller	0	0	1,650
Mississippi	402,350	411,500	414,950
Monroe 1/:			24,100
Phillips	191,500	197,800	155,150
Poinsett	140,550	143,000	123,900
Prairie	0	0	1,350
Pulaski	0	0	2,850
St. Francis	64,400	66,450	42,650
Woodruff 1/:			7,750
Arkansas	1,788,400	1,818,200	1,803,400
Butte 1/:	0	0	
Colusa 1/:			32,200
Fresno	873,450	907,100	762,700
Glenn	0	0	5,800
Imperial 1/:			36,350
Kern	394,000	405,500	425,050
Kings	437,250	453,450	497,250
Madera 1/:			71,600
Merced 1/:			193,350
Riverside 1/:			58,000

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
San Bernardino	0	0	4,250
San Joaquin	0	0	
Sutter			6,100
Tulare	260,000	266,050	221,850
Yolo	0	0	13,600
California	2,358,250	2,439,300	2,328,350
Calhoun	0	0	8,700
Escambia			25,900
Gadsden	0	0	1,750
Hamilton	0	0	1,500
Holmes	0	0	1,950
Jackson			41,950
Jefferson	0	0	
Madison	0	0	
Okaloosa	0	0	7,800
Santa Rosa			55,100
Walton	0	0	4,000
Washington	0	0	2,250
Florida			151,650
Appling			55,050
Atkinson	0	0	18,950
Bacon	0	0	23,000
Baker	0	0	34,900
Baldwin	0	0	4,400
Bartow			4,550
Ben Hill	0	0	16,200
Berrien			34,200
Bleckley			21,550
Blinch	0	0	
Brooks			66,350
Bryan	0	0	1,650
Bulloch			52,250
Burke	95,000	98,400	63,700
Calhoun			29,600
Candler			21,400
Clay	0	0	8,900
Coffee			62,250

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Colquitt	:	301,150	:	309,600	:	130,900
Cook	:	0	:	0	:	31,150
Crawford	:	0	:	0	:	600
Crisp	1/:		:		:	40,700
Decatur	1/:		:		:	72,100
Dodge	1/:		:		:	19,650
Dooly	:	189,450	:	195,600	:	111,100
Dougherty	:	0	:	0	:	22,900
Early	1/:		:		:	72,250
Effingham	:	0	:	0	:	5,150
Elbert	:	0	:	0	:	3,000
Emanuel	:	0	:	0	:	32,600
Evans	:	0	:	0	:	6,700
Floyd	:	0	:	0	:	4,000
Glascok	:	0	:	0	:	1,000
Grady	:	0	:	0	:	62,050
Hart	:	0	:	0	:	550
Henry	:	0	:	0	:	300
Houston	:	0	:	0	:	13,200
Irwin	1/:		:		:	41,350
Jeff Davis	1/:		:		:	39,750
Jefferson	1/:		:		:	21,100
Jenkins	:	0	:	0	:	23,600
Johnson	:	0	:	0	:	4,400
Lamar	:	0	:	0	:	2,550
Lanier	:	0	:	0	:	7,250
Laurens	1/:		:		:	11,650
Lee	1/:		:		:	48,250
Long	:	0	:	0	:	400
Lowndes	1/:		:		:	13,000
Macon	:	0	:	0	:	16,650
Madison	1/:	0	:	0	:	
Marion	:	0	:	0	:	350
McDuffie	:	0	:	0	:	700
Miller	1/:		:		:	52,000
Mitchell	1/:		:		:	94,700
Monroe	1/:	0	:	0	:	
Montgomery	:	0	:	0	:	5,000
Morgan	1/:		:		:	1,950
Oconee	:	0	:	0	:	300
Peach	:	0	:	0	:	6,550

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Pierce	:	0	:	0	:	23,000
Pike	1/:	0	:	0	:	
Polk	:	0	:	0	:	4,550
Pulaski	1/:		:		:	43,500
Quitman	:	0	:	0	:	2,250
Randolph	1/:		:		:	24,650
Richmond	1/:	0	:	0	:	
Schley	:	0	:	0	:	2,350
Screven	1/:		:		:	28,100
Seminole	1/:		:		:	55,200
Stewart	:	0	:	0	:	3,400
Sumter	1/:		:		:	29,500
Tattnall	:	0	:	0	:	11,950
Taylor	1/:		:		:	4,700
Telfair	:	0	:	0	:	12,100
Terrell	1/:		:		:	38,500
Thomas	1/:		:		:	57,800
Tift	1/:		:		:	31,350
Toombs	:	0	:	0	:	8,750
Treutlen	:	0	:	0	:	4,450
Turner	1/:		:		:	42,850
Twiggs	:	0	:	0	:	8,350
Walker	:	0	:	0	:	400
Walton	:	0	:	0	:	450
Ware	:	0	:	0	:	7,650
Warren	1/:	0	:	0	:	
Washington	:	0	:	0	:	5,250
Wayne	:	0	:	0	:	18,950
Webster	:	0	:	0	:	3,850
Wheeler	:	0	:	0	:	5,100
Wilcox	1/:		:		:	39,350
Wilkinson	:	0	:	0	:	1,400
Worth	1/:		:		:	77,700
Other	2/:		:		:	24,850
	:		:		:	
Georgia	:	2,159,050	:	2,220,650	:	2,163,550
	:		:		:	
Kansas	1/:		:		:	29,150

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Avoyelles 1/:			24,300
Bienville 1/:	0	0	
Bossier :	0	0	1,350
Caddo :	37,800	38,900	30,150
Caldwell :	0	0	10,550
Catahoula :	73,950	74,550	86,500
Claiborne :	0	0	450
Concordia :	73,200	73,750	72,500
Desoto :	0	0	1,000
East Carroll :	133,300	133,750	84,700
East Felicia 1/:	0	0	
Evangeline :	0	0	2,550
Franklin :	161,800	165,900	120,850
Grant :	0	0	6,650
La Salle :	0	0	1,850
Madison 1/:			111,000
Morehouse :	120,700	123,300	99,600
Natchitoches 1/:			10,650
Ouachita 1/:			30,300
Pointe Coupee 1/:			15,100
Rapides :	44,750	45,200	31,550
Red River 1/:			10,800
Richland :	91,750	92,800	57,950
Saint Landry :	0	0	7,700
Tensas :	128,700	132,950	157,650
West Carroll 1/:			38,200
Louisiana :	1,044,600	1,064,200	1,014,450
Adams :	0	0	11,550
Attala :	0	0	10,850
Benton 1/:			10,700
Bolivar :	192,000	193,900	177,350
Calhoun :	39,850	40,600	38,100
Carroll 1/:			33,550
Chickasaw 1/:			10,600
Choctaw :	0	0	3,100
Claiborne :	0	0	5,400
Clay :	0	0	1,900
Coahoma :	235,550	235,450	228,200
Copiah :	0	0	3,000
Covington :	0	0	950

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Desoto	1/:		:		:	22,400
George	:	0	:	0	:	6,250
Greene	:	0	:	0	:	700
Grenada	1/:		:		:	13,150
Hinds	1/:		:		:	21,950
Holmes	:	120,400	:	121,000	:	93,000
Humphreys	:	97,100	:	98,050	:	128,450
Issaquena	1/:		:		:	45,000
Itawamba	1/:	0	:	0	:	
Jackson	:	0	:	0	:	1,650
Jefferson	1/:		:		:	7,900
Jones	1/:	0	:	0	:	
Lafayette	1/:		:		:	9,400
Lamar	:	0	:	0	:	1,100
Leake	:	0	:	0	:	3,350
Lee	1/:		:		:	45,200
Leflore	:	177,950	:	183,550	:	170,950
Lowndes	:	0	:	0	:	2,000
Madison	1/:		:		:	26,000
Marshall	:	0	:	0	:	1,200
Monroe	1/:		:		:	25,700
Montgomery	1/:		:		:	13,500
Newton	:	0	:	0	:	900
Noxubee	:	0	:	0	:	5,400
Oktibbeha	:	0	:	0	:	1,700
Panola	:	65,650	:	67,750	:	65,550
Pike	:	0	:	0	:	2,550
Pontotoc	1/:		:		:	8,450
Prentiss	:	0	:	0	:	1,500
Quitman	:	101,550	:	102,850	:	85,550
Rankin	1/:		:		:	9,600
Scott	:	0	:	0	:	4,950
Sharkey	:	102,850	:	104,800	:	122,800
Sunflower	:	137,700	:	139,650	:	116,550
Tallahatchie	:	104,350	:	106,300	:	126,200
Tate	:	0	:	0	:	19,950
Tippah	:	0	:	0	:	1,300
Tishomingo	:	0	:	0	:	2,850
Tunica	:	107,850	:	109,400	:	132,250
Union	:	0	:	0	:	1,050
Warren	1/:		:		:	24,700

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Washington	:	192,400	:	197,750	:	187,450
Webster	1/:					28,950
Yalobusha	1/:					21,500
Yazoo	:	267,900	:	273,250	:	210,000
Mississippi	:	2,339,250	:	2,378,700	:	2,356,000
Dade	1/:	0	:	0	:	
Dunklin	:	275,500	:	280,550	:	264,750
Mississippi	1/:	0	:	0	:	
New Madrid	:	182,350	:	186,550	:	175,900
Pemiscot	:	139,450	:	141,550	:	147,600
Scott	1/:					19,800
Stoddard	1/:					73,150
Missouri	:	673,800	:	686,450	:	681,750
Chaves	1/:					5,250
Curry	:	0	:	0	:	15,700
Dona Ana	1/:					40,300
Eddy	1/:					15,950
Guadalupe	:	0	:	0	:	3,200
Hidalgo	1/:	0	:	0	:	
Lea	:	0	:	0	:	28,150
Luna	1/:					6,050
Quay	:	0	:	0	:	2,650
Roosevelt	:	0	:	0	:	14,350
Sierra	1/:	0	:	0	:	
New Mexico	:	70,800	:	71,700	:	132,600
Anson	1/:					8,100
Beaufort	1/:					61,300
Bertie	1/:					65,500
Bladen	:	0	:	0	:	15,950
Cabarrus	:	0	:	0	:	1,250
Camden	:	0	:	0	:	1,850
Carteret	:	0	:	0	:	12,300
Catawba	1/:	0	:	0	:	
Chatham	:	0	:	0	:	350

See footnotes at end of table.

-- continued



Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Chowan	:	0	:	0	:	40,850
Cleveland	1/:					3,450
Columbus	1/:					7,400
Craven	1/:					42,200
Cumberland	:	0	:	0	:	20,350
Currituck	:	0	:	0	:	700
Davidson	:	0	:	0	:	1,400
Duplin	1/:					27,650
Edgecombe	1/:					80,150
Franklin	:	0	:	0	:	450
Gaston	1/:	0	:	0	:	
Gates	1/:					33,250
Greene	1/:					32,950
Halifax	:	112,150	:	116,500	:	90,650
Harnett	1/:					27,600
Hertford	1/:					38,000
Hoke	1/:					26,350
Hyde	1/:					39,150
Iredell	:	0	:	0	:	2,550
Johnston	:	0	:	0	:	27,400
Jones	1/:					59,000
Lee	:	0	:	0	:	5,350
Lenoir	1/:					67,650
Lincoln	1/:	0	:	0	:	
Martin	1/:					76,050
Montgomery	:	0	:	0	:	1,350
Moore	:	0	:	0	:	600
Nash	1/:					37,750
Northampton	:	108,100	:	113,600	:	105,950
Onslow	:	0	:	0	:	20,550
Pamlico	:	0	:	0	:	11,150
Pasquotank	:	0	:	0	:	5,750
Pender	:	0	:	0	:	12,200
Perquimans	1/:					43,850
Pitt	1/:					75,750
Richmond	:	0	:	0	:	3,650
Robeson	1/:					48,650
Rowan	:	0	:	0	:	2,300
Rutherford	1/:					400
Sampson	:	147,000	:	151,450	:	97,650
Scotland	1/:					27,600

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
-----						
Stanly	1/:					23,850
Tyrrell	:	0		0		8,100
Union	:	0		0		11,600
Wake	1/:	0		0		
Warren	:	0		0		800
Washington	:	0		0		22,450
Wayne	1/:					69,800
Wilson	1/:					67,850
-----						
North Carolina	:	1,640,550		1,696,950		1,617,200
-----						
Alfalfa	:	0		0		750
Beckham	1/:					2,450
Caddo	1/:					1,250
Canadian	:	0		0		1,350
Comanche	:	0		0		1,000
Cotton	:	0		0		1,500
Custer	1/:					800
Garvin	1/:	0		0		
Grady	1/:					
Grant	:	0		0		2,750
Greer	1/:					2,800
Harmon	:	20,800		21,200		23,600
Jackson	:	115,400		117,700		103,750
Kay	1/:					2,950
Kingfisher	1/:	0		0		
Kiowa	1/:					6,500
Logan	1/:	0		0		
McClain	1/:					1,050
McCurtain	:	0		0		650
Noble	:	0		0		600
Oklahoma	1/:	0		0		
Roger Mills	:	0		0		1,400
Texas	1/:	0		0		
Tillman	1/:					29,650
Washita	:	4,400		4,600		6,000
Woods	:	0		0		1,250
-----						
Oklahoma	:	194,850		199,000		192,800
-----						

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Abbeville	:	0	:	0	:	300
Aiken	1/:					6,750
Allendale	1/:					3,350
Anderson	:	0	:	0	:	700
Bamberg	:	0	:	0	:	10,700
Barnwell	:	0	:	0	:	7,800
Berkeley	:	0	:	0	:	950
Calhoun	:	79,100	:	81,050	:	43,400
Cherokee	1/:	0	:	0	:	
Chester	:	0	:	0	:	600
Chesterfield	:	0	:	0	:	800
Clarendon	1/:					15,000
Colleton	:	0	:	0	:	1,550
Darlington	1/:					59,950
Dillon	1/:					26,800
Dorchester	:	0	:	0	:	11,100
Edgefield	:	0	:	0	:	450
Florence	:	0	:	0	:	17,350
Georgetown	:	0	:	0	:	2,850
Hampton	1/:					10,300
Horry	:	0	:	0	:	900
Kershaw	1/:	0	:	0	:	
Laurens	1/:	0	:	0	:	
Lee	1/:					26,000
Lexington	:	0	:	0	:	2,250
Marion	:	0	:	0	:	5,950
Marlboro	:	42,450	:	43,900	:	41,850
Newberry	:	0	:	0	:	1,450
Orangeburg	:	55,750	:	57,050	:	42,400
Richland	:	0	:	0	:	4,950
Saluda	1/:					1,750
Sumter	:	29,150	:	30,200	:	15,250
Williamsburg	1/:					40,700
York	1/:					5,950
South Carolina	:	404,200	:	415,650	:	410,700
Benton	:	0	:	0	:	400
Carroll	1/:					34,150
Chester	:	0	:	0	:	2,100
Coffee	1/:	0	:	0	:	
Crockett	:	170,100	:	172,250	:	128,050

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Dyer	:	0	:	0	:	55,400
Fayette	1/:		:		:	67,650
Franklin	:	0	:	0	:	6,050
Gibson	:	64,400	:	66,150	:	60,950
Giles	:	0	:	0	:	3,100
Grundy	1/:	0	:	0	:	
Hardeman	1/:		:		:	32,200
Hardin	:	0	:	0	:	3,300
Haywood	:	244,000	:	250,350	:	183,350
Henderson	:	0	:	0	:	4,300
Henry	:	0	:	0	:	1,150
Lake	1/:		:		:	24,200
Lauderdale	:	83,950	:	86,050	:	95,950
Lawrence	:	0	:	0	:	700
Lincoln	1/:		:		:	17,600
Madison	1/:		:		:	63,850
McNairy	:	0	:	0	:	4,150
Obion	:	0	:	0	:	6,050
Rutherford	:	0	:	0	:	4,450
Shelby	:	0	:	0	:	37,200
Tipton	:	142,900	:	148,450	:	115,450
Weakley	:	0	:	0	:	1,000
	:		:		:	
Tennessee	:	950,150	:	973,100	:	953,400
	:		:		:	
Andrews	:	0	:	0	:	9,550
Archer	1/:	0	:	0	:	
Armstrong	:	0	:	0	:	1,100
Austin	:	0	:	0	:	2,500
Bailey	:	97,500	:	100,350	:	61,400
Bastrop	1/:	0	:	0	:	
Baylor	:	0	:	0	:	2,600
Bee	:	0	:	0	:	7,050
Bell	:	0	:	0	:	400
Borden	1/:		:		:	3,850
Brazoria	:	24,350	:	25,250	:	19,300
Brazos	1/:		:		:	11,700
Briscoe	:	45,250	:	47,150	:	32,200
Burleson	1/:		:		:	14,650
Caldwell	1/:		:		:	2,400
Calhoun	1/:		:		:	41,950

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Cameron	46,300	47,900	45,500
Carson	0	0	5,550
Castro	99,550	101,500	160,300
Childress 1/:			20,150
Clay 1/:	0	0	
Cochran 1/:			102,050
Coke 1/:			
Coleman	0	0	900
Collin 1/:			3,150
Collingsworth 1/:			16,650
Colorado	0	0	1,500
Concho 1/:			12,100
Cottle 1/:			6,600
Crosby	116,400	120,200	111,000
Culberson 1/:			300
Dawson	63,150	65,500	73,350
De Witt 1/:	0	0	
Deaf Smith 1/:			42,650
Delta	0	0	350
Denton 1/:	0	0	
Dickens 1/:			10,700
Donley 1/:			10,350
El Paso 1/:			52,700
Ellis 1/:			29,700
Falls 1/:			2,600
Fannin	0	0	350
Fisher 1/:			32,250
Floyd	168,650	175,350	185,200
Foard	0	0	2,200
Fort Bend	72,600	74,350	75,150
Frio	0	0	1,200
Gaines	186,350	191,750	177,000
Garza 1/:			11,350
Glasscock 1/:			28,200
Goliad	0	0	1,000
Grimes	0	0	950
Guadalupe	0	0	400
Hale	401,850	413,900	341,800
Hall	23,450	24,400	31,400
Hardeman 1/:			4,750
Hartley	0	0	2,100

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Haskell	:	52,200	:	54,050	:	52,600
Hays	1/:	0	:	0	:	
Hidalgo	:	53,650	:	55,300	:	65,100
Hill	1/:		:		:	15,200
Hockley	:	175,200	:	179,500	:	131,250
Houston	1/:		:		:	1,400
Howard	1/:		:		:	8,100
Hudspeth	:	0	:	0	:	25,600
Hunt	1/:		:		:	3,250
Irion	1/:	0	:	0	:	
Jackson	1/:		:		:	48,250
Jim Wells	:	0	:	0	:	15,150
Johnson	:	0	:	0	:	350
Jones	:	37,900	:	38,950	:	30,050
Karnes	:	0	:	0	:	1,400
Kent	1/:		:		:	4,100
Kimble	:	0	:	0	:	1,200
King	1/:	0	:	0	:	
Kleberg	1/:		:		:	34,400
Knox	1/:		:		:	34,950
Lamar	1/:		:		:	1,600
Lamb	:	287,050	:	298,450	:	242,600
Lee	:	0	:	0	:	550
Limestone	:	0	:	0	:	1,000
Lubbock	:	161,450	:	165,600	:	141,650
Lynn	:	56,450	:	57,050	:	57,950
Madison	:	0	:	0	:	550
Martin	:	34,300	:	35,100	:	17,700
Mason	:	0	:	0	:	800
Matagorda	1/:		:		:	68,150
McCulloch	:	0	:	0	:	550
McLennan	1/:		:		:	7,850
Medina	1/:		:		:	12,950
Midland	1/:		:		:	9,450
Milam	1/:		:		:	7,950
Mitchell	:	20,100	:	20,600	:	18,300
Motley	1/:		:		:	7,550
Navarro	1/:		:		:	10,850
Nolan	1/:		:		:	20,050
Nueces	:	114,450	:	118,750	:	133,650
Oldham	1/:	0	:	0	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Parmer	:	143,950	:	148,550	:	152,650
Pecos	1/:		:		:	11,250
Potter	:	0	:	0	:	500
Rains	1/:	0	:	0	:	
Randall	:	0	:	0	:	4,700
Reagan	:	0	:	0	:	12,400
Red River	:	0	:	0	:	4,350
Reeves	1/:		:		:	6,200
Refugio	1/:		:		:	59,300
Robertson	1/:		:		:	22,300
Runnels	:	24,550	:	25,500	:	22,000
San Patricio	:	230,650	:	236,600	:	165,050
Schleicher	:	0	:	0	:	4,500
Scurry	:	20,450	:	20,550	:	19,450
Shackelford	:	0	:	0	:	1,350
Starr	:	0	:	0	:	3,250
Stephens	1/:	0	:	0	:	
Stonewall	:	0	:	0	:	950
Swisher	:	94,700	:	97,900	:	118,050
Taylor	1/:		:		:	2,700
Terry	:	111,150	:	115,050	:	116,450
Throckmorton	1/:		:		:	600
Tom Green	:	51,800	:	53,800	:	51,850
Travis	:	0	:	0	:	2,650
Upton	1/:		:		:	6,300
Uvalde	:	0	:	0	:	10,350
Victoria	:	0	:	0	:	28,700
Walker	1/:		:		:	1,550
Ward	1/:	0	:	0	:	
Wharton	:	196,950	:	200,350	:	110,550
Wheeler	:	0	:	0	:	4,100
Wichita	1/:		:		:	3,150
Wilbarger	:	15,550	:	15,800	:	9,450
Willacy	:	35,500	:	36,850	:	21,600
Williamson	:	23,000	:	23,300	:	20,200
Wilson	:	0	:	0	:	2,600
Yoakum	:	121,600	:	123,200	:	87,800
Young	1/:	0	:	0	:	
Zavala	1/:		:		:	6,000
Other	2/:		:		:	25,300
	:		:		:	
Texas	:	4,232,800	:	4,358,000	:	4,170,150

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2001 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Accomack	1/:					3,100
Brunswick	1/:	0		0		
Charles City	:	0		0		2,700
Chesapeake	1/:	0		0		
Dinwiddie	:	0		0		5,100
Greensville	1/:					16,200
Henrico	1/:	0		0		
Isle of Wight	1/:					28,550
King William	1/:	0		0		
King & Queen	1/:	0		0		
Northampton	:	0		0		5,200
Prince George	1/:	0		0		
Southampton	:	0		0		75,150
Suffolk City	1/:					29,100
Surry	:	0		0		9,300
Sussex	1/:					16,500
Other	2/:					450
Virginia	:	177,900		181,850		196,950
US TOTAL	:	19,771,200		20,298,600		19,771,200

1/ Withheld to avoid disclosing individual gins, but included in State and U. S. totals.

2/ County of origin was not determined.

**Note:** Counties may not add to State total due to rounding.



Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Autauga	2	493.7	269
Baldwin	1	496.7	187
Barbour	0	0.0	309
Bibb	0	0.0	550
Blount	1	485.4	374
Bullock	0	0.0	483
Butler	0	0.0	453
Calhoun	0	0.0	331
Chambers	0	0.0	505
Cherokee	2	488.1	150
Chilton	1	488.0	552
Choctaw	0	0.0	525
Clarke	0	0.0	500
Coffee	1	495.6	253
Colbert	2	484.7	128
Conecuh	0	0.0	326
Covington	1	500.0	204
Crenshaw	1	496.0	429
Cullman	0	0.0	380
Dale	0	0.0	263
Dallas	2	497.2	233
Dekalb	0	0.0	564
Elmore	3	499.2	216
Escambia	1	500.1	125
Etowah	0	0.0	333
Fayette	1	506.3	400
Franklin	0	0.0	420
Geneva	2	496.0	244
Greene	1	500.0	508
Hale	0	0.0	468
Henry	2	489.5	198
Houston	1	0.0	174
Jackson	0	0.0	316
Lauderdale	2	500.3	156
Lawrence	4	498.8	106
Lee	0	0.0	394

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Limestone	6	511.6	44
Lowndes	1	510.6	341
Macon	1	500.0	323
Madison	3	493.6	55
Marengo	1	502.0	335
Marion	0	0.0	579
Marshall	0	0.0	499
Mobile	1	504.3	252
Monroe	1	493.2	123
Montgomery	0	0.0	386
Morgan	0	0.0	397
Perry	0	0.0	401
Pike	0	0.0	317
Russell	2	490.3	318
Shelby	0	0.0	280
Sumter	0	0.0	605
Talladega	0	0.0	356
Tallapoosa	1	497.5	421
Tuscaloosa	1	502.9	330
Washington	0	0.0	448
Wilcox	0	0.0	408
Alabama	49	498.1	
Cochise	1	478.0	396
Graham	4	498.2	117
Greenlee	0	0.0	501
La Paz	2	493.4	126
Maricopa	11	492.8	17
Mohave	1	494.4	297
Pima	2	495.8	192
Pinal	14	491.0	6
Yuma	4	496.2	89
Arizona	39	492.9	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Arkansas	0	0.0	509
Ashley	5	482.8	61
Chicot	2	486.7	97
Clay	3	480.3	92
Craighead	6	471.9	12
Crittenden	4	484.6	66
Cross	1	520.3	459
Desha	6	486.8	26
Drew	1	481.6	146
Greene	3	486.4	182
Jefferson	6	491.1	67
Lafayette	1	475.0	353
Lee	1	504.0	49
Lincoln	1	478.4	73
Lonoke	4	491.5	116
Miller	0	0.0	464
Mississippi	11	490.9	4
Monroe	2	483.1	209
Phillips	6	495.8	25
Poinsett	5	488.4	37
Prairie	0	0.0	484
Pulaski	0	0.0	417
St. Francis	3	495.3	132
Woodruff	1	500.4	321
Arkansas	72	488.0	
Butte	0	0.0	617
Colusa	1	506.0	167
Fresno	28	498.5	1
Glenn	0	0.0	354
Imperial	1	490.5	155
Kern	18	494.0	3
Kings	14	497.8	2
Madera	3	499.6	79
Merced	4	497.7	13
Riverside	2	490.0	102

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
San Bernardino	0	0.0	385
San Joaquin	0	0.0	580
Sutter	2	500.0	345
Tulare	8	491.2	10
Yolo	0	0.0	262
California	81	496.5	
Calhoun	0	0.0	306
Escambia	1	493.6	201
Gadsen	0	0.0	460
Hamilton	0	0.0	472
Holmes	0	0.0	454
Jackson	1	498.8	136
Jefferson	0	0.0	526
Madison	0	0.0	618
Okaloosa	0	0.0	319
Santa Rosa	2	499.2	109
Walton	0	0.0	390
Washington	0	0.0	445
Florida	4	498.3	
Appling	2	493.3	110
Atkinson	0	0.0	238
Bacon	0	0.0	213
Baker	0	0.0	158
Baldwin	0	0.0	381
Bartow	1	484.9	375
Ben Hill	0	0.0	248
Berrien	2	494.5	160
Bleckley	1	497.0	223
Blinch	0	0.0	591
Brooks	2	501.7	85
Bryan	0	0.0	465
Bulloch	2	496.9	113
Burke	4	497.3	91
Calhoun	2	494.3	180
Candler	2	496.1	225
Clay	0	0.0	304
Coffee	2	490.2	93

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Colquitt	7	493.5	33
Cook	0	0.0	173
Crawford	0	0.0	540
Crisp	2	482.7	141
Decatur	2	490.4	78
Dodge	1	489.6	235
Dooly	9	495.6	45
Dougherty	0	0.0	215
Early	1	492.4	77
Effingham	0	0.0	364
Elbert	0	0.0	414
Emanuel	0	0.0	165
Evans	0	0.0	334
Floyd	0	0.0	391
Glascocock	0	0.0	510
Grady	0	0.0	94
Hart	0	0.0	545
Henry	0	0.0	573
Houston	0	0.0	265
Irwin	2	497.0	139
Jeff Davis	1	499.0	144
Jefferson	2	501.4	226
Jenkins	0	0.0	211
Johnson	0	0.0	382
Lamar	0	0.0	433
Lanier	0	0.0	328
Laurens	2	495.6	277
Lee	1	486.8	119
Long	0	0.0	558
Lowndes	1	497.1	267
Macon	0	0.0	245
Madison	0	0.0	619
Marion	0	0.0	565
McDuffie	0	0.0	533
Miller	1	486.0	114
Mitchell	1	493.3	57
Monroe	0	0.0	607
Montgomery	0	0.0	367
Morgan	1	493.7	455
Oconee	0	0.0	572
Peach	0	0.0	338

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Pierce	0	0.0	214
Pike	0	0.0	606
Polk	0	0.0	376
Pulaski	3	487.2	129
Quitman	0	0.0	446
Randolph	1	495.6	206
Richmond	0	0.0	581
Schley	0	0.0	442
Screven	1	500.2	190
Seminole	1	497.7	108
Stewart	0	0.0	399
Sumter	1	493.0	181
Tattnall	0	0.0	275
Taylor	1	484.3	372
Telfair	0	0.0	273
Terrell	1	492.9	148
Thomas	2	491.0	105
Tift	1	489.7	172
Toombs	0	0.0	305
Treutlen	0	0.0	378
Turner	2	502.1	131
Twiggs	0	0.0	308
Walker	0	0.0	557
Walton	0	0.0	553
Ware	0	0.0	324
Warren	0	0.0	598
Washington	0	0.0	361
Wayne	0	0.0	239
Webster	0	0.0	392
Wheeler	0	0.0	365
Wilcox	1	497.0	145
Wilkinson	0	0.0	477
Worth	1	493.0	68
Georgia	70	493.7	
Kansas 1/	2	495.6	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Avoyelles	1	478.4	207
Bienville	0	0.0	584
Bossier	0	0.0	485
Caddo	5	494.0	176
Caldwell	0	0.0	293
Catahoula	4	483.8	62
Claiborne	0	0.0	554
Concordia	3	483.6	76
Desoto	0	0.0	511
East Carroll	6	481.7	64
East Feliciana	0	0.0	574
Evangeline	0	0.0	434
Franklin	8	492.2	39
Grant	0	0.0	336
La Salle	0	0.0	457
Madison	1	472.0	46
Morehouse	5	490.3	53
Natchitoches	1	480.0	291
Ouachita	1	481.5	175
Pointe Coupee	1	490.4	258
Rapides	4	484.8	170
Red River	1	489.1	287

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Richland	6	485.6	103
Saint Landry	0	0.0	322
Tensas	6	495.8	24
West Carroll	2	513.9	149
Louisiana	55	489.0	
Adams	0	0.0	279
Attala	0	0.0	285
Benton	1	492.0	288
Bolivar	8	484.8	18
Calhoun	3	488.8	151
Carroll	2	492.3	162
Chickasaw	1	489.7	292
Choctaw	0	0.0	411
Claiborne	0	0.0	359
Clay	0	0.0	456
Coahoma	6	479.8	9
Copiah	0	0.0	415
Covington	0	0.0	517
Desoto	2	490.7	218
George	0	0.0	342
Greene	0	0.0	535
Grenada	1	480.0	266
Hinds	2	480.0	221
Holmes	3	482.4	58
Humphreys	3	484.7	34
Issaquena	1	484.4	124
Itawamba	0	0.0	575
Jackson	0	0.0	466
Jefferson	1	495.0	314
Jones	0	0.0	622
Lafayette	1	478.7	302
Lamar	0	0.0	503
Leake	0	0.0	402
Lee	1	495.0	122
Leflore	9	495.1	21
Lowndes	0	0.0	452
Madison	1	480.0	199
Marshall	0	0.0	495

See footnotes at end of table.

-- continued



Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Monroe	2	496.1	202
Montgomery	1	497.6	264
Newton	0	0.0	521
Noxubee	0	0.0	358
Oktibbeha	0	0.0	463
Panola	3	495.2	86
Pike	0	0.0	435
Pontotoc	1	480.0	307
Prentiss	0	0.0	473
Quitman	4	486.1	63
Rankin	1	504.5	298
Scott	0	0.0	369
Sharkey	5	489.0	38
Sunflower	6	486.8	41
Tallahatchie	7	488.9	36
Tate	0	0.0	232
Tippah	0	0.0	489
Tishomingo	0	0.0	418
Tunica	5	486.9	31
Union	0	0.0	506
Warren	1	483.3	205
Washington	10	493.3	14
Webster	1	485.0	184
Yalobusha	1	491.7	224
Yazoo	7	489.6	11
Mississippi	101	488.1	
Dade	0	0.0	585
Dunklin	12	488.8	7
Mississippi	0	0.0	576
New Madrid	8	491.1	20
Pemiscot	8	487.3	28
Scott	3	497.6	234
Stoddard	2	479.7	75
Missouri	33	489.0	
Chaves	1	492.8	362
Curry	0	0.0	254
Dona Ana	8	486.9	143

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Eddy	2	482.1	250
Guadalupe	0	0.0	407
Hidalgo	0	0.0	522
Lea	0	0.0	189
Luna	1	481.7	346
Quay	0	0.0	427
Roosevelt	0	0.0	261
Sierra	0	0.0	601
New Mexico	12	486.2	
Anson	1	487.2	310
Beaufort	1	471.3	96
Bertie	2	494.0	87
Bladen	0	0.0	251
Cabarrus	0	0.0	491
Camden	0	0.0	458
Carteret	0	0.0	271
Catawba	0	0.0	623
Chatham	0	0.0	566
Chowan	0	0.0	140
Cleveland	3	495.1	398
Columbus	1	517.4	327
Craven	1	498.0	135
Cumberland	0	0.0	228
Currituck	0	0.0	536
Davidson	0	0.0	479
Duplin	1	494.8	191
Edgecombe	2	496.5	65
Franklin	0	0.0	555
Gaston	0	0.0	624
Gates	1	492.3	163
Greene	1	490.0	164
Halifax	4	498.6	59
Harnett	1	500.1	193
Hertford	1	487.8	152
Hoke	1	512.3	197
Hyde	1	483.5	147
Iredell	0	0.0	436
Johnston	0	0.0	195

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Jones	1	493.5	101
Lee	0	0.0	360
Lenoir	2	496.4	83
Lincoln	0	0.0	611
Martin	1	494.5	69
Montgomery	0	0.0	486
Moore	0	0.0	541
Nash	1	487.1	153
Northampton	6	504.4	50
Onslow	0	0.0	227
Pamlico	0	0.0	283
Pasquotank	0	0.0	355
Pender	0	0.0	272
Perquimans	1	501.3	127
Pitt	3	497.5	70
Richmond	0	0.0	395
Robeson	2	514.9	118
Rowan	0	0.0	444
Rutherford	1	443.3	559
Sampson	3	494.5	54
Scotland	2	500.6	194
Stanly	1	502.9	210
Tyrrell	0	0.0	311
Union	0	0.0	278
Wake	0	0.0	586
Warren	0	0.0	527
Washington	0	0.0	217
Wayne	2	501.3	80
Wilson	1	498.3	82
North Carolina	49	496.5	
Alfalfa	0	0.0	532
Beckham	2	504.2	440
Caddo	1	468.6	492
Canadian	0	0.0	487
Comanche	0	0.0	512
Cotton	0	0.0	474
Custer	2	504.5	528
Garvin	0	0.0	587

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Grady	1	500.0	613
Grant	0	0.0	423
Greer	2	496.5	422
Harmon	3	488.9	212
Jackson	4	489.6	51
Kay	1	502.8	416
Kingfisher	0	0.0	625
Kiowa	2	486.8	339
Logan	0	0.0	626
McClain	1	477.2	507
McCurtain	0	0.0	539
Noble	0	0.0	542
Oklahoma	0	0.0	614
Roger Mills	0	0.0	480
Texas	0	0.0	612
Tillman	3	483.9	179
Washita	4	499.9	349
Woods	0	0.0	493
Oklahoma	26	490.2	
Abbeville	0	0.0	577
Aiken	1	505.0	332
Allendale	1	487.4	403
Anderson	0	0.0	537
Bamberg	0	0.0	289
Barnwell	0	0.0	320
Berkeley	0	0.0	518
Calhoun	4	491.7	130
Cherokee	0	0.0	593
Chester	0	0.0	543
Chesterfield	0	0.0	529
Clarendon	2	494.8	259
Colleton	0	0.0	470
Darlington	2	488.8	99
Dillon	2	489.5	196
Dorchester	0	0.0	284
Edgefield	0	0.0	556
Florence	0	0.0	243
Georgetown	0	0.0	419

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Hampton	1	498.8	296
Horry	0	0.0	523
Kershaw	0	0.0	595
Laurens	0	0.0	594
Lee	4	486.1	200
Lexington	0	0.0	447
Marion	0	0.0	352
Marlboro	4	496.5	138
Newberry	0	0.0	476
Orangeburg	4	491.4	134
Richland	0	0.0	370
Saluda	1	507.5	461
Sumter	4	497.0	255
Williamsburg	3	509.0	142
York	1	490.0	351
South Carolina	34	493.6	
Benton	0	0.0	560
Carroll	1	486.7	161
Chester	0	0.0	450
Coffee	0	0.0	588
Crockett	7	486.0	35
Dyer	0	0.0	107
Fayette	2	499.6	84
Franklin	0	0.0	348
Gibson	4	493.1	98
Giles	0	0.0	412
Grundy	0	0.0	567
Hardeman	2	487.5	168
Hardin	0	0.0	404
Haywood	9	492.5	16
Henderson	0	0.0	384
Henry	0	0.0	498
Lake	1	489.0	208
Lauderdale	3	492.1	56
Lawrence	0	0.0	538
Lincoln	1	477.8	242
Madison	2	485.8	90
McNairy	0	0.0	387
Obion	0	0.0	347

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Rutherford	0	0.0	379
Shelby	0	0.0	154
Tipton	4	498.7	43
Weakley	0	0.0	513
Tennessee	36	491.6	
Andrews	0	0.0	299
Archer	0	0.0	628
Armstrong	0	0.0	504
Austin	0	0.0	439
Bailey	6	494.1	95
Bastrop	0	0.0	615
Baylor	0	0.0	430
Bee	0	0.0	329
Bell	0	0.0	561
Borden	1	480.0	393
Brazoria	3	498.2	237
Brazos	2	484.6	276
Briscoe	3	500.1	169
Burleson	1	484.2	260
Caldwell	1	490.4	441
Calhoun	1	488.6	137
Cameron	6	496.4	121
Carson	0	0.0	357
Castro	5	489.4	23
Childress	1	500.0	230
Clay	0	0.0	602
Cochran	2	486.5	52
Coke	1	492.0	604
Coleman	0	0.0	524
Collin	1	480.0	410
Collingswort	2	506.9	246
Colorado	0	0.0	475
Concho	1	490.9	274
Cottle	1	489.3	337
Crosby	7	495.7	47
Culberson	1	477.0	578
Dawson	8	497.9	74
De Witt	0	0.0	590
Deaf Smith	2	496.5	133

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Delta	0	0.0	568
Denton	0	0.0	603
Dickens	1	492.7	290
Donley	1	494.9	294
El Paso	4	492.0	111
Ellis	3	491.6	178
Falls	2	482.9	431
Fannin	0	0.0	569
Fisher	3	488.6	166
Floyd	10	499.0	15
Foard	0	0.0	449
Fort Bend	6	491.6	71
Frio	0	0.0	497
Gaines	9	493.9	19
Garza	2	491.3	281
Glasscock	2	500.0	188
Goliad	0	0.0	515
Grimes	0	0.0	520
Guadalupe	0	0.0	562
Hale	14	494.4	5
Hall	4	499.3	171
Hardeman	1	502.2	371
Hartley	0	0.0	451
Haskell	6	497.0	112
Hays	0	0.0	616
Hidalgo	5	494.8	88
Hill	3	496.9	256
Hockley	8	491.8	32
Houston	1	494.0	481
Howard	2	487.3	312
Hudspeth	0	0.0	203
Hunt	2	485.0	405
Irion	0	0.0	631
Jackson	1	495.6	120
Jim Wells	0	0.0	257
Johnson	0	0.0	570
Jones	7	493.5	177
Karnes	0	0.0	482
Kent	1	503.1	388
Kimble	0	0.0	496
King	0	0.0	596

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Kleberg	2	512.9	159
Knox	1	506.7	157
Lamar	2	494.1	467
Lamb	15	499.1	8
Lee	0	0.0	549
Limestone	0	0.0	514
Lubbock	12	492.3	29
Lynn	9	485.1	104
Madison	0	0.0	547
Martin	5	491.1	241
Mason	0	0.0	530
Matagorda	1	495.0	81
McCulloch	0	0.0	548
McLennan	1	485.0	315
Medina	1	493.0	268
Midland	1	478.7	300
Milam	1	479.1	313
Mitchell	3	492.3	240
Motley	2	491.6	325
Navarro	2	494.3	286
Nolan	1	502.8	231
Nueces	7	498.0	30
Oldham	0	0.0	627
Parmer	9	495.4	27
Pecos	1	492.3	282
Potter	0	0.0	551
Rains	0	0.0	630
Randall	0	0.0	373
Reagan	0	0.0	270
Red River	0	0.0	383
Reeves	1	473.0	344
Refugio	1	498.0	100
Robertson	3	482.0	219
Runnels	4	498.7	220
San Patricio	8	492.4	22
Schleicher	0	0.0	377
Scurry	3	482.5	236
Shackelford	0	0.0	488
Starr	0	0.0	406
Stephens	0	0.0	629
Stonewall	0	0.0	519

See footnotes at end of table.

-- continued



Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2001 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Swisher	4	496.3	40
Taylor	1	475.0	424
Terry	9	496.8	42
Throckmorton	1	480.0	544
Tom Green	6	498.7	115
Travis	0	0.0	428
Upton	1	493.8	340
Uvalde	0	0.0	295
Victoria	0	0.0	185
Walker	3	489.9	471
Ward	0	0.0	597
Wharton	6	488.3	48
Wheeler	0	0.0	389
Wichita	1	490.2	409
Wilbarger	3	488.3	301
Willacy	4	498.4	222
Williamson	5	486.4	229
Wilson	0	0.0	432
Yoakum	5	486.3	60
Young	0	0.0	589
Zavala	2	499.0	350
Texas	301	494.2	
Accomack	1	479.7	413
Brunswick	0	0.0	494
Charles City	0	0.0	425
Chesapeake City	0	0.0	563
Dinwiddie	0	0.0	366
Greensville	1	481.2	249
Henrico	0	0.0	516
Isle of Wight	2	495.4	186
King William	0	0.0	462
King and Queen	0	0.0	531
Northampton	0	0.0	363
Prince George	0	0.0	571
Southampton	0	0.0	72
Suffolk City	1	486.8	183
Surry	0	0.0	303
Sussex	1	495.3	247
Virginia	6	490.6	
US TOTAL	970	492.8	

1/ Withheld to avoid disclosing individual data.

**Note:** County of origin was not determined for approximately 82,600 bales in the U.S., and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2001

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
All Cotton	:		:		:	
US 1/	:	970	:	CA	:	81
1 - 2,999	:	80	:	1 - 2,999	:	4
3,000 - 4,999	:	64	:	3,000 - 4,999	:	1
5,000 - 6,999	:	69	:	5,000 - 6,999	:	1
7,000 - 9,999	:	83	:	7,000 - 9,999	:	2
10,000 - 14,999	:	145	:	10,000 - 14,999	:	8
15,000 - 19,999	:	104	:	15,000 - 19,999	:	6
20,000 - 39,999	:	267	:	20,000 - 39,999	:	31
40,000 - and over	:	146	:	40,000 - and over	:	28
AL	:	49	:	GA	:	70
1 - 2,999	:	3	:	1 - 2,999	:	1
3,000 - 4,999	:	4	:	3,000 - 4,999	:	1
5,000 - 6,999	:	4	:	5,000 - 6,999	:	1
7,000 - 9,999	:	5	:	7,000 - 9,999	:	1
10,000 - 14,999	:	8	:	10,000 - 14,999	:	11
15,000 - 19,999	:	8	:	15,000 - 19,999	:	7
20,000 - 39,999	:	13	:	20,000 - 39,999	:	22
40,000 - and over	:	4	:	40,000 - and over	:	26
AZ	:	39	:	LA	:	55
1 - 2,999	:	5	:	1 - 2,999	:	2
3,000 - 4,999	:	3	:	3,000 - 4,999	:	1
5,000 - 6,999	:	1	:	5,000 - 6,999	:	2
7,000 - 9,999	:	2	:	7,000 - 9,999	:	8
10,000 - 14,999	:	8	:	10,000 - 14,999	:	10
15,000 - 19,999	:	5	:	15,000 - 19,999	:	11
20,000 - 39,999	:	10	:	20,000 - 39,999	:	14
40,000 - and over	:	5	:	40,000 - and over	:	7
AR	:	72	:	MS	:	101
1 - 2,999	:	2	:	1 - 2,999	:	4
3,000 - 4,999	:	3	:	3,000 - 4,999	:	3
5,000 - 6,999	:	4	:	5,000 - 6,999	:	4
7,000 - 9,999	:	5	:	7,000 - 9,999	:	4
10,000 - 14,999	:	11	:	10,000 - 14,999	:	19
15,000 - 19,999	:	8	:	15,000 - 19,999	:	18
20,000 - 39,999	:	30	:	20,000 - 39,999	:	34
40,000 - and over	:	9	:	40,000 - and over	:	15


-- continued

Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2001

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
MO	:	33	:	SC	:	34
1 - 2,999	:	1	:	1 - 2,999	:	3
3,000 - 4,999	:	0	:	3,000 - 4,999	:	4
5,000 - 6,999	:	2	:	5,000 - 6,999	:	3
7,000 - 9,999	:	2	:	7,000 - 9,999	:	3
10,000 - 14,999	:	6	:	10,000 - 14,999	:	9
15,000 - 19,999	:	6	:	15,000 - 19,999	:	4
20,000 - 39,999	:	14	:	20,000 - 39,999	:	8
40,000 - and over	:	2	:	40,000 - and over	:	0
NM	:	12	:	TN	:	36
1 - 2,999	:	3	:	1 - 2,999	:	0
3,000 - 4,999	:	2	:	3,000 - 4,999	:	0
5,000 - 6,999	:	4	:	5,000 - 6,999	:	2
7,000 - 9,999	:	0	:	7,000 - 9,999	:	3
10,000 - 14,999	:	1	:	10,000 - 14,999	:	3
15,000 - 19,999	:	0	:	15,000 - 19,999	:	7
20,000 - 39,999	:	2	:	20,000 - 39,999	:	15
40,000 - and over	:	0	:	40,000 - and over	:	6
NC	:	49	:	TX	:	301
1 - 2,999	:	3	:	1 - 2,999	:	35
3,000 - 4,999	:	0	:	3,000 - 4,999	:	39
5,000 - 6,999	:	1	:	5,000 - 6,999	:	39
7,000 - 9,999	:	1	:	7,000 - 9,999	:	45
10,000 - 14,999	:	3	:	10,000 - 14,999	:	44
15,000 - 19,999	:	6	:	15,000 - 19,999	:	18
20,000 - 39,999	:	16	:	20,000 - 39,999	:	57
40,000 - and over	:	19	:	40,000 - and over	:	24
OK	:	26	:		:	
1 - 2,999	:	14	:		:	
3,000 - 4,999	:	3	:		:	
5,000 - 6,999	:	1	:		:	
7,000 - 9,999	:	2	:		:	
10,000 - 14,999	:	4	:		:	
15,000 - 19,999	:	0	:		:	
20,000 - 39,999	:	1	:		:	
40,000 - and over	:	1	:		:	

1/ Total number of gins operating. Data excludes 4 gins in Florida, 2 gins in Kansas, and 6 gins in Virginia.

## 2001 All Cotton Ginnings Percent of U.S. Crop Ginned, by State



**Cotton Ginnings 2001:** A total of 19.8 million running bales were ginned during the 2001 season, 18 percent above 2000's ginnings of 16.7 million bales. A six percent increase in acres harvested and a 73 pound yield per acre increase contributed to the higher level of ginnings.

There were 970 active cotton gins during the 2001 season, down from the 1,018 that operated in 2000. There were 413 ginnings firms processing more than 20,000 bales in 2001, compared with 336 the previous season.

**Cotton, 2001 Final:** All cotton production is estimated at 20.3 million bales, 18 percent above the 2000 production level. The 2001 output is the largest crop on record. Upland cotton production, at 19.6 million bales, was 17 percent above the previous year. This is the largest upland production in history, surpassing the 1994 record of 19.3 million bales. American-Pima production totaled 700,400 bales, up 80 percent from 2000. This surpasses the previous record high production of 691,700 bales in 1989.

The area planted to all cotton totaled 15.8 million acres, up 2 percent from 2000. Harvested area increased 6 percent to 13.8 million acres. Yields for the U.S. averaged 705 pounds per harvested acre, up 73 pounds per acre from a year ago.

Producers in the Southeastern States rated their crop mostly fair-to-good throughout the 2001 growing season. However, development was hindered by cooler-than-normal temperatures and cloud cover, resulting in bolls opening at a pace slightly behind the 5-year average, especially in Alabama, Georgia, and South Carolina. Despite the slow development, harvest was underway throughout the region by mid-September. Cotton picking was aided throughout October by favorably dry weather, but remained slightly behind average in Alabama, Georgia, and South Carolina. Extremely dry conditions during November increased the efforts on harvesting cotton, as many farmers delayed small grain seeding due to the lack of moisture. By the time rains were received during late November, the pace of cotton harvest had exceeded the 5-year average in all of the Southeastern States except Alabama.

Planting of upland cotton progressed rapidly in the Delta States during 2001. Dry weather permitted planting to begin in mid-April, with planting completed well ahead of the 5-year average. Warm temperatures and adequate moisture throughout May allowed the crop to develop a good stand and minimized the need for replanting. Development continued to progress well until the end of June when below normal temperatures hindered crop progress. However, by the end of July, near normal temperatures returned and promoted development. Harvest was in full swing during the second half of September; however, Louisiana and Mississippi lagged behind the 5-year average due to a slow developing crop and persistent, excessive rains received during late August and early September. Despite the delay in development during the end of June and rain delays during early harvest periods, the Delta States had virtually completed harvest by the end of November. Record yields were established in Tennessee. Data from the Objective Yield Survey show boll weights in Arkansas and Louisiana rank as the fourth heaviest since 1992, while Mississippi boll weights are the second heaviest in the past 10 years.

Producers in the Southwestern States were able to plant their cotton at or ahead of normal pace. However, the cotton crop on the High Plains received rain, strong winds, and large hail during early June. Some replanting was possible, but insurance deadlines resulted in some abandonment as destroyed cotton acreage was replanted to alternative crops. Overall, development and harvest of the crop maintained pace with the 5-year average. Objective Yield Survey data indicate Texas' boll weights are the sixth lightest in the past ten years.

Arizona and California cotton growers began planting during mid-March, but were slowed by cool, wet weather during early April. Additionally, storms during the first half of April resulted in the need to replant some fields. Crop development progressed slightly ahead of the 5-year average as a result of warm weather and irrigation. Producers rated the crop as mostly good-to-excellent throughout the entire season. Harvest activities progressed on pace with the 5-year average in Arizona and well ahead of average in California, despite some delays due to wet fields. Data from the objective yield plots indicate California's weight per boll is the second lightest since 1992.

The San Joaquin Valley began planting American-Pima cotton in mid-March, but cool, wet weather caused a large amount of acreage to be replanted. Warm weather during the summer aided development. Harvest progressed well despite slight delays, and was virtually complete by mid-December.

**Cottonseed:** Cottonseed production in 2001 totaled 7.45 million tons, up 16 percent from 2000.

**Released May 10, 2002, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Cotton Ginnings 2001 Summary" call Dave DeWalt at (202) 720-5944, office hours 7:30 a.m. to 4:00 p.m. ET.**

The "Cotton Ginnings 2002 Summary" report will be released in May 2003.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, D.C., 20250-9410, or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

## **ACCESS TO REPORTS!!**

---

For your convenience, there are several ways to obtain NASS reports, data products, and services:

### **INTERNET ACCESS**

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: <http://www.usda.gov/nass/>. Select "Today's Reports" or Publications and then Reports by Calendar or Publications and then Search, by Title or Subject.

### **E-MAIL SUBSCRIPTION**

There are two options for subscribing via e-mail. All NASS reports are available by subscription free of charge direct to your e-mail address. 1) Starting with the NASS Home Page at <http://www.usda.gov/nass/>, click on **Publications**, then click on the **Subscribe by E-mail** button which takes you to the page describing e-mail delivery of reports. Finally, click on **Go to the Subscription Page** and follow the instructions. 2) If you do NOT have Internet access, send an e-mail message to: [usda-reports@usda.mannlib.cornell.edu](mailto:usda-reports@usda.mannlib.cornell.edu). In the body of the message type the word: **list**.

### **AUTOFAX ACCESS**

NASSFax service is available for some reports from your fax machine. Please call 202-720-2000, using the handset attached to your fax. Respond to the voice prompts. Document 0411 is a list of available reports.

-----

### **PRINTED REPORTS OR DATA PRODUCTS**

**CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)**  
**Other areas, please call 703-605-6220      FAX: 703-605-6900**  
**(Visa, MasterCard, check, or money order acceptable for payment.)**

-----

### **ASSISTANCE**

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: [nass@nass.usda.gov](mailto:nass@nass.usda.gov).

---